Author Index

Abraham, D., see Tuan, R.S., 191
Aggarwal, A., see Mowatt, M.R., 215
Aikawa, M., see Borre, M.B., 119
Allsopp, B.A., see Baylis, H.A., 133
Alvarez, R.M., see Li, B.-W., 315
Axelsen, N.H., see Borre, M.B., 119

Balfe, P., see Ranford-Cartwright, L.C., 239
Baratte, B., see Duvaux-Miret, O., 337
Baylis, H.A., Sohal, S.K., Carrington, M., Bishop, R.P. and Allsopp, B.A., An unusual repetitive gene family in *Theileria parva* which is stage-specifically transcribed, 133
Beck, J.T. and Ullman, B., Biopterin conversion to reduced folates by *Leishmania donovani* promastigotes, 21
Bishop, R.P., see Baylis, H.A., 133
Blackman, M.J., Ling, I.T., Nicholls, S.C. and Holder, A.A., Proteolytic processing of the *Plasmodium falciparum* merozoite surface protein-1 produces a membrane-bound fragment containing two epidermal growth factor-like domains, 29
Blackman, M.J., Whittle, H. and Holder, A.A., Processing of the *Plasmodium falciparum* major merozoite surface protein-1: identification of a 33-kilodalton secondary processing product which is shed prior to erythrocyte invasion, 35
Borre, M.B., Dziegiel, M., Høgh, B., Peterson, E., Rieneck, K., Riley, E., Meis, J.F., Aikawa, M., Nakamura, K., Harada, M., Wind, A., Jakobsen, P.H., Cowland, J., Jepsen, S., Axelsen, N.H. and Vuust, J., Primary structure and localization of a conserved immunogenic *Plasmodium falciparum* glutamate rich protein (GLURP) expressed in both the preerythrocytic and erythrocytic stages of the vertebrate life cycle, 119
Bostian, K.A., see El-Sherbeini, M., 83
Brown, H.J. and Coppel, R.L., Primary structure of a *Plasmodium falciparum* rhoptry antigen, 99
Bruchhaus, I., see Tannich, E., 61
Bzik, D.J., see Fox, B.A., 289

Callahan, H.L., Crouch, R.K. and James, E.R., *Dirofilaria immitis* superoxide dismutase: purification and characterization, 245
Capron, A., see Duvaux-Miret, O., 337
Carrington, M., see Baylis, H.A., 133
Carter, R., see Ranford-Cartwright, L.C., 239
Cazzulo, J.J., see Raimondi, A., 341
Chandrashekar, R., see Li, B.-W., 315
Chang, S. and Opperman, C.H., Characterization of acetylcholinesterase molecular forms of the root-knot nematode, *Meloidogyne*, 205
Cheng, Q., Jones, G., Xiang Liu, E., Kidson, C. and Saul, A., Identification of a common *Plasmodium* epitope (CPE) recognised by a pan-specific inhibitory monoclonal antibody, 73
Clark, C.G. and Diamond, L.S., Ribosomal RNA genes of 'pathogenic' and 'nonpathogenic' *Entamoeba histolytica* are distinct, 297
Clarke, L.E., see Tomley, F.M., 277
Clarke, M.W., see Karcz, S.R., 333
Connors, V.A., see Lodes, M.J., 1
Cooper, R., Inverso, J.A., Espinosa, M., Nogueira, N. and Cross, G.A.M., Characterization of a candidate gene for GP72, an insect stage-specific antigen of *Trypanosoma cruzi*, 45
Coppel, R.L., see Brown, H.J., 99
Cowland, J., see Borre, M.B., 119
Crary, J.L., see Li, W.-l., 157
Cross, G.A.M., see Cooper, R., 45
Crouch, R.K., see Callahan, H.L., 245

Das, A., see Li, W.-l., 157
De Jong-Brink, M., see Schallig, H.D.F.H., 169
Dekaban, G.A., see Karcz, S.R., 333
Diamond, L.S., see Clark, C.G., 297
Dijkema, R., see Tomley, F.M., 277
Dissous, C., see Duvaux-Miret, O., 337
Donelson, J.E., see Erondu, N.E., 303
Donelson, J.E., see Nafziger, D.A., 325
Douglas, J.G., see Kanesa-Thasan, N., 11
Duvaux-Miret, O., Baratte, B., Dissous, C. and Capron, A., Molecular cloning and sequencing of the α-tubulin gene from *Schistosoma mansoni* (*Short Communication*), 337
Dziegiel, M., see Borre, M.B., 119

El-Sherbeini, M., Ramadan, N., Bostian, K.A. and Knopf, P.M., Cloning and sequence analysis of the *Schistosoma mansoni* membrane glycoprotein antigen gene GP22, 83
Elmendorf, H.G., see Haldar, K., 143
Erondu, N.E. and Donelson, J.E., Characterization of trypanosome protein phosphatase 1 and 2A catalytic subunits, 303
Espinosa, M., see Cooper, R., 45

Fox, B.A. and Bzik, D.J., The primary structure of *Plasmodium falciparum* DNA polymerase δ is similar to drug sensitive δ-like viral DNA polymerases, 289

Ghori, N., see Haldar, K., 143

Haldar, K., Uyetake, L., Ghori, N., Elmendorf, H.G. and Li, W.-l., The accumulation and metabolism of a fluorescent ceramide derivative in *Plasmodium falciparum*-infected erythrocytes, 143
Haldar, K., see Li, W.-l., 157
Harada, M., see Borre, M.B., 119
Harrison, R.A., see Wright, M.D., 177
Hellman, U., see Raimondi, A., 341
Herrera, M., see Snewin, V.A., 265
Herrera, S., see Snewin, V.A., 265
Holder, A.A., see Blackman, M.J., 29
Holder, A.A., see Blackman, M.J., 35
Horstmann, R.D., see Tannich, E., 61
Hundt, E., see Nolte, D., 253
Hunter, C.A., see Nafziger, D.A., 325
Høgh, B., see Borre, M.B., 119

Inverso, J.A., see Cooper, R., 45

Jakobsen, P.H., see Borre, M.B., 119
James, E.R., see Callahan, H.L., 245
Jepsen, S., see Borre, M.B., 119
Jones, G., see Cheng, Q., 73

Kanesa-Thasan, N., Douglas, J.G. and Kazura, J.W.,

Diethylcarbamazine inhibits endothelial and microfilarial prostanoid metabolism in vitro, 11
Karcz, S.R., Podesta, R.B., Siddiqui, A.A., Dekaban, G.A., Strejan, G.H. and Clarke, M.W., Molecular cloning and sequence analysis of a calcium-activated neutral protease (calpain) from *Schistosoma mansoni* (*Short Communication*), 333
Kawazoe, U., see Tomley, F.M., 277
Kazura, J.W., see Kanesa-Thasan, N., 11
Kidson, C., see Cheng, Q., 73
Knapp, B., see Nolte, D., 253
Knopf, P.M., see El-Sherbeini, M., 83
Kok, J.J., see Tomley, F.M., 277

Langsley, G., see Nolte, D., 253
Langsley, G., see Snewin, V.A., 265
Li, B.-W., Chandrashekar, R., Alvarez, R.M., Liftis, F. and Weil, G.J., Identification of paramyosin as a potential protective antigen against *Brugia malayi* infection in jirds, 315
Li, W.-l., Das, A., Song, J.-y., Crary, J.L. and Haldar, K., Stage-specific expression of plasmodial proteins containing an antigenic marker of the intraerythrocytic cisternae, 157
Li, W.-l., see Haldar, K., 143
Liftis, F., see Li, B.-W., 315
Ling, I.T., see Blackman, M.J., 29
Lodes, M.J., Connors, V.A. and Yoshino, T.P., Isolation and functional characterization of snail hemocyte-modulating polypeptide from primary sporocysts of *Schistosoma mansoni*, 1

Magee, R.M., see Schallig, H.D.F.H., 169
McElwain, T.F., see Suarez, C.E., 329
McMahon-Pratt, D., see Rainey, P.M., 111
Meis, J.F., see Borre, M.B., 119
Melcher, A.M., see Wright, M.D., 177
Meshnick, S.R., Thomas, A., Ranz, A., Xu, C.-M. and Pan, H.-Z., Artemisinin (qinghaosu): the role of intracellular hemin in its mechanism, of antimalarial action, 181
Mishra, V.S., see Suarez, C.E., 329
Mitchell, G.F., see Wright, M.D., 177
Mowatt, M.R., Aggarwal, A. and Nash, T.E., Carboxy-terminal sequence conservation among variant-specific surface proteins of *Giardia lamblia*, 215
Mulligan, M.M., see Tuan, R.S., 191

Nafziger, D.A., Recinos, R.F., Hunter, C.A. and Donelson, J.E., Patients infected with *Leishmania donovani chagasi* can have antibodies that recognize heat shock and acidic ribosomal proteins of *Trypanosoma cruzi* (*Short Communication*), 325
Nakamura, K., see Borre, M.B., 119
Nash, T.E., see Mowatt, M.R., 215
Newport, G.R., see Wright, M.D., 177
Nicholls, S.C., see Blackman, M.J., 29
Nogueira, N., see Cooper, R., 45
Nolte, D., Hundt, E., Langsley, G. and Knapp, B., A *Plasmodium falciparum* blood stage antigen highly homologous to the glycophorin binding protein GBP, 253

Opperman, C.H., see Chang, S., 205

Palmer, G.H., see Suarez, C.E., 329
Pan, A.A., see Rainey, P.M., 111
Pan, H.-Z., see Meshnick, S.R., 181
Perler, F.B., see Tuan, R.S., 191
Peterson, E., see Borre, M.B., 119
Podesta, R.B., see Karcz, S.R., 333

Raimondi, A., Wernstedt, C., Hellman, U. and Cazzulo, J.J., Degradation of oxidized insulin A and B chains by the major cysteine proteinase (cruzipain) for *Trypanosoma cruzi* epimastigotes (*Short Communication*), 341
Rainey, P.M., Spithill, T.W., McMahon-Pratt, D. and Pan, A.A., Biochemical and molecular characterization of *Leishmania pifanoi* amastigotes in continuous axenic culture, 111
Rajan, T.V., see Rothstein, N., 229
Ramadan, N., see El-Sherbeini, M., 83
Ranford-Cartwright, L.C., Balfe, P., Carter, R. and Walliker, D., Genetic hybrids of *Plasmodium falciparum* identified by amplification of genomic DNA from single oocysts, 239
Ranz, A., see Meshnick, S.R., 181
Recinos, R.F., see Nafziger, D.A., 325
Rees, H.H., see Schallig, H.D.F.H., 169
Rieneck, K., see Borre, M.B., 119
Riley, E., see Borre, M.B., 119
Rothstein, N. and Rajan, T.V., Characterization of an hsp70 gene from the human filarial parasite *Brugia malayi* (Nematoda), 229

Sanchez, G., see Snewin, V.A., 265
Saul, A., see Cheng, Q., 73
Schallig, H.D.F.H., Young, N.J., Magee, R.M., De Jong-Brink, M. and Rees, H.H., Identification of free and conjugated ecdysteroids in cercariae of the schistosome *Trichobilharzia ocellata*, 169
Scherf, A., see Snewin, V.A., 265
Shepley, K.J., see Tuan, R.S., 191
Siddiqui, A.A., see Karcz, S.R., 333
Snewin, V.A., Herrera, M., Sanchez, G., Scherf, A., Langsley, G. and Herrera, S., Polymorphism of the alleles of the merozoite surface antigens MSA1 and MSA2 in *Plasmodium falciparum* wild isolates from Colombia, 265
Sohal, S.K., see Baylis, H.A., 133
Song, J.-y., see Li, W.-l., 157
Spithill, T.W., see Rainey, P.M., 111
Stephens, E.B., see Suarez, C.E., 329
Strejan, G.H., see Karcz, S.R., 333
Suarez, C.E., McElwain, T.F., Stephens, E.B., Mishra, V.S. and Palmer, G.H., Sequence conservation among merozoite apical complex proteins of *Babesia bovis*, *Babesia bigemina* and other apicomplexa (*Short Communication*), 329

Tannich, E., Bruchhaus, I., Walter, R.D. and Horstmann, R.D., Pathogenic and nonpathogenic *Entamoeba histolytica*: identification and molecular cloning of an iron-containing superoxide dismutase, 61
Thomas, A., see Meshnick, S.R., 181
Tomley, F.M., Clarke, L.E., Kawazoe, U., Dijkema, R. and Kok, J.J., Sequence of the gene encoding an immunodominant microneme protein of *Eimeria tenella*, 277
Tuan, R.S., Shepley, K.J., Mulligan, M.M., Abraham, D. and Perler, F.B., Histochemical localization of gene expression in *Onchocerca volvulus*: in situ DNA histohybridization and immunocytochemistry, 191

Ullman, B., see Beck, J.T., 21
Uyetake, L., see Haldar, K., 143

Vuust, J., see Borre, M.B., 119

Walliker, D., see Ranford-Cartwright, L.C., 239
Walter, R.D., see Tannich, E., 61
Weil, G.J., see Li, B.-W., 315
Wernstedt, C., see Raimondi, A., 341
Whittle, H., see Blackman, M.J., 35
Wind, A., see Borre, M.B., 119
Wright, M.D., Harrison, R.A., Melcher, A.M., Newport, G.R. and Mitchell, G.F., Another 26-kilodalton glutathione *S*-transferase of *Schistosoma mansoni* (*Short Communications*), 177

Xiang Liu, E., see Cheng, Q., 73
Xu, C.-M., see Meshnick, S.R., 181

Yoshino, T.P., see Lodes, M.J., 1
Young, N.J., see Schallig, H.D.F.H., 169

Subject Index

Acetylcholinerase, 205
African trypanosome, 303
Allelic polymorphism, 265
Amastigote, 111
Anti-oxidant enzyme, 245
Antigenic variation, 215
Antimalarial, 181
Artemisinin, 181

Biomphalaria glabrata, 1
Brugia malayi, 11, 229, 315

Chagas' disease, 325
Circumsporozoite antigen, 277
Cisternal epitope, 157
Consensus PCR, 289
Conservation 119
Cross-reacting epitope, 325
Culture, 111
Cysteine-rich protein, 215

Developmental regulation, 111
Diagnosis, 325
Diethylcarbazine, 11
Differentiation antigen, 45
Dirofilaria immitis, 245
DNA sequence, 277
DNA polymerase δ, 289
cDNA sequence, 61

Ecdysteroid, 169
Eicosanoid, 11
Eimeria tenella, 277
Entamoeba histolytica, 61, 297
Epidermal growth factor, 29
Epitope, 73
Excretory-secretory product, 1
Exoantigen, 119
Expression and chromosomal location, 289

Filariasis, 191, 315
Fluorescent sphingolipid, 143
Folate biosynthesis, 21

Gene family, 133, 353
Gene regulation, 229
Gene structure, 353
Gene, 45
Genomic DNA cloning, 289
Giardia lamblia, 215
Glutamate-rich protein, 119
Glycophorin binding protein, 353
Glycoprotein, 45

Haemocyte, 1
Hemozoin, 181
Hsp70, 229

Immune response, 73
Immunity, 315
Immunoblot, 303
Immunohistochemistry, 191
Immunoscreen, 325
In situ hybridization, 191
Intron, 9
Iron-containing superoxide dismutase, 61

Jird, 315

Leishmania donovani, 21
Leishmania pifanoi, 111
Leishmaniasis, 325
Lymnaea stagnalis, 169

Malaria, 35, 181
Malarial parasite, 143
Meloidogyne, 205
Membrane protein, 157
Membrane glycoprotein, 83
Merozoite surface protein-1, 29, 35
Merozoite surface antigen, 265
Microfilaria, 11, 191
Microneme, 277
Monoclonal antibody, 73, 277
Mosquito, 239
MSA-1 gene, 239
Multiple promoters, 83

Nematicide, 205
Nematode, 315
Nucleotide and amino acid sequence, 289

Oocyst, 239
Oxidant, 181

Paramyosin, 315
Pathogenicity, 297
Peroxide, 181

Plasmodium, 73, 181
Plasmodium falciparum, 29, 35, 99, 119, 157, 239, 265, 289, 353
Polymerase chain reaction, 45, 239, 297
Polypeptide synthesis, 1
Prostaglandin, 11
Protein phosphatase, 303
Protein sequence, 45
Protozoa, 303
Pterin metabolism, 21

Qinghaosu, 181

Recombinant protein, 303
Repeated sequences, 119
RhopH3, 99
Rhoptry antigen, 99
Riboprinting, 297
Ribosomal RNA gene, 297
mRNA localization, 191
Root-knot nematode, 205

Schistosoma mansoni, 1, 83, 177
Sequence analysis, 265
Sequencing, 73
Sporocyst, 1
Stage specificity, 133
Superoxide dismutase, 245

T- and B-cell sites, 119
Theileria parva, 133
Thrombospondin-related anonymous protein, 277
Trematode, 169
Trichobilharzia ocellata, 169
Trypanosoma cruzi, 45

Vaccine development, 83
Variant-specific surface protein, 215